



SCAN ME

Terms and
Conditions



SCAN ME

Website



SCAN ME

Catalogue

X-RAIL DATA SHEET

X-RAIL Horizontal Rail System

Side Fix (Concrete & Steel Mount)



The SafetyLink X-Rail is a Rigid Anchor Line suitable for use as part of personal fall protection system. The X-Rail offers a Horizontal Rigid Anchor Line with one or multiple Mobile Anchor Points for attaching to. The X-Rail can be installed in three orientations; **Overhead**, **Wall** and **Floor** mounted and can be used for Fall Arrest and Abseiling purposes.

- The X-Rail Rigid Anchor Line is rated for up to 4 users per system and in any span.
- X-Rail is suitable when fall clearance is limited.
- The X-Rail is designed with a special nut for concrete mounted system to conduct pull testing.
- The Horizontal Rail System is available in straight as well as curved forms (for corners and bends), the uniquely designed junctions allow for an extremely smooth movement of the Shuttle between rail sections.
- The X-Rail Rigid Anchor Line System is compliant with AS/NZS 1891.2, EN795:2012 and PD CEN/TS 16415:2013.



© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-397 Version: 9.0

Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com





SCAN ME

Terms and
Conditions



SCAN ME

Website



SCAN ME

Catalogue

X-RAIL DATA SHEET



CONCRETE & STEEL - SIDE FIX X-RAIL - RAIL LENGTHS

Product Code	Description	Material	
XRAIL-TR-101-6M	Standard Rail: 6 metres	Aluminium	
XRAIL-TR-101-5M	Standard Rail: 5 metres	Aluminium	
XRAIL-TR-101-3M	Standard Rail: 3 metres	Aluminium	
XRAIL-TR-104	Standard Rail Corner: Bend 90 degrees (Floor Mounted)	Aluminium	
XRAIL-TR-105	Standard Rail Corner: Bend 90 degrees (External Wall Mounted)	Aluminium	
XRAIL-TR-106	Standard Rail Corner: Bend 90 degrees (Internal Wall Mounted)	Aluminium	
XRAIL-TR-107	Standard Rail Corner: Bend 45 degrees (Floor Mounted)	Aluminium	
XRAIL-TR-108	Standard Rail Corner: Bend 45 degrees (External Wall Mounted)	Aluminium	
XRAIL-TR-109	Standard Rail Corner: Bend 45 degrees (Internal Wall Mounted)	Aluminium	
XRAIL-TR-110	Standard Rail Corner: Bend JOG	Aluminium	
XRAIL-TR-111	Special Rail Corner: Custom Rail Corner	Aluminium	

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-397 Version: 9.0

Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com



SCAN ME
Terms and
Conditions



SCAN ME
Website



SCAN ME
Catalogue

X-RAIL DATA SHEET



CONCRETE & STEEL - SIDE FIX X-RAIL – COMPONENTS & KITS

Product Code	Description	Material	
XRAIL-TR-203	End Bracket	Aluminium	
XRAIL-TR-204	Intermediate Bracket	Aluminium	
XRAIL-TR-212	Rail Join Dowel: holds two rail sections together.	316SS	
XRAIL-TR-213	Rail End Cap: Caps off end of rail line.	Plastic	
XRAIL-TR-216	Jog Offset Bracket: used for wall mounted corners (Available in kit TR-020, TR-021).	316SS	
XRAIL-TR-002	Rail Join Kit: joins straight rail lengths. 1 x XRAIL-TR-206: Rail Join 4 x XRAIL-TR-907(OTS): M10 x 40 Countersunk Cap Screw 1 x XRAIL-TR-212: Rail Dowel	Aluminium & 316SS	
XRAIL-TR-005	Rail Join Kit (Low Profile): joins straight rail lengths while remaining hidden. 1 x XRAIL-TR-211: Rail Connector 4 x XRAIL-TR-907(OTS): M10 x 40 Countersunk Cap Screw 1 x XRAIL-TR-212: Rail Dowel	316SS	
XRAIL-TR-006	Shuttle Stop: stops the shuttle from being removed. 1 x XRAIL-TR-006: Shuttle Stop 1 x SCREW CAP M10X30 1 x WASHER M10_316	Aluminium & 316SS	
XRAIL-TR-008	System Termination Kit: Installed at end of rail system to stop the rail sliding out. 1 x XRAIL-TR-209: System Termination 2 x XRAIL-TR-907(OTS): M10 x 40 Countersunk Cap Screw	Aluminium & 316SS	
XRAIL-TR-014	X-Rail Shuttle	Aluminium	
XRAIL-TR-018	X-Rail Shuttle – Abseiling Note: must use two shuttles when abseiling.	Aluminium	
XRAIL-TR-GATE	X-Rail Gate: for Shuttle Entry-Exit on rail.	Aluminium & 316SS	
XRAIL-TR-GATE.KITSF	Shuttle Entry/Exit Gate Kit: 1 x XRAIL-TR-GATE: 1 x XRAIL-TR-002: 1 x XRAIL-TR-203:		

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-397 Version: 9.0

Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com



SCAN ME
Terms and
Conditions



SCAN ME
Website



SCAN ME
Catalogue

X-RAIL DATA SHEET



CONCRETE & STEEL - SIDE FIX X-RAIL – KITS

Product Code	Description	
XRAIL-TR-020	90 Degree Side Mounted External Corner Kit: 8 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-005: Rail Join Kit (Low Profile) 1 x XRAIL-TR-105: Standard Rail Corner, Bend 90 degrees (External Wall Mounted) 2 x XRAIL-TR-110: Standard Rail Corner, Bend Jog 4 x XRAIL-TR-216: Jog Offset Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit 8 x Bolt-M12x35mm-SS 8 x M12 Washer/Spring Washer/Nut	
XRAIL-TR-021	45 Degree Side Mounted External Corner Kit: 8 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-005: Rail Join Kit (Low Profile) 1 x XRAIL-TR-108: Standard Rail Corner, Bend 45 degrees (External Wall Mounted) 2 x XRAIL-TR-110: Standard Rail Corner, Bend Jog 4 x XRAIL-TR-216: Jog Offset Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit 8 x Bolt-M12x35mm-SS 8 x M12 Washer/Spring Washer/Nut	
XRAIL-TR-028	90 Degree Internal Wall Mounted Corner Kit: 1 x XRAIL-TR-106: Standard Rail Corner, Bend 90 degrees (Internal Wall Mounted) 4 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit	
XRAIL-TR-029	45 Degree Internal Wall Mounted Corner Kit: 1 x XRAIL-TR-109: Standard Rail Corner, Bend 45 degrees (Internal Wall Mounted) 4 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit	
XRAIL-TR-031	90 Degree Floor Mounted Corner Kit: 1 x XRAIL-TR-104: Standard Rail Corner, Bend 90 degrees (Floor Mounted) 4 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit	
XRAIL-TR-032	45 Degree Floor Mounted Corner Kit: 1 x XRAIL-TR-107: Standard Rail Corner, Bend 45 degrees (Floor Mounted) 4 x XRAIL-TR-204: Intermediate Bracket (Side Fix) 2 x XRAIL-TR-002: Rail Join Kit	
XRAIL-TR-022	Joint Kit with Side Anchors: 1 x XRAIL-TR-002: Rail Join Kit 2 x XRAIL-TR-204: Intermediate Bracket (Side Fix)	
XRAIL-TR-034	End Kit: 1 x XRAIL-TR-203: End Bracket (Side Fix) 1 x XRAIL-TR-006: Shuttle Stop 1 x XRAIL-TR-008: System Termination Kit 1 x XRAIL-TR-213: Rail End Cap	

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-397 Version: 9.0

Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com



SCAN ME

Terms and Conditions



SCAN ME

Website



SCAN ME

Catalogue







X-RAIL DATA SHEET



CONCRETE & STEEL - SIDE FIX X-RAIL – FIXINGS

Product Code	Description	Material	
CON-M12x160-DONUT	Anchor Rod Kit_ M12x160mm: (For use in Concrete) 1 x Anchor Rod M12 x 160mm 1 x M12 X-Rail Donut 1 x M12 Spring Washer 1 x M12 Washer	316SS	
CON-CHEM-FISV.300	FIS V 300ml Cartridge: 1 x Concrete FIS V 300ml Cartridge 2 x Static Mixer FIS MR	Adhesive	
XRAIL-TR-012	Steel Fixing Kit: (For use in Steel) 1 x Bolt M12 x 50mm(length to be confirmed) 1 x M12 Washer 1 x M12 Spring Washer 1 x M12 Nut	316SS	
STEELINK-M12.HEX.75.15	 SteelLink Blind Bolt: (For use in Steel) 1 x Bolt M12 x 75mm Set Screw 1 x M12 Washer 1 x M12 Spring Washer 1 x SteelLink End Cap M12x1.75 1 x SteelLink Base Cap M12	316SS	
ADAPTER M12-M16	M12 to M16 Thread Retrofit Adapter	316SS	

CONCRETE & STEEL - SIDE FIX X-RAIL – TOOLS

Product Code	Description	Material																																					
XRAIL-TR-401	X-Rail Drill Bit to suit TR-101, TR102	Steel																																					
XRAIL-TR-402	X-Rail Onsite Drill Fixture	Aluminium & Steel																																					
DONUTLINK-ADP	DonutLink: M16 Adapter	Steel																																					
XRAIL-WARN	X-Rail Warning Sign	Stainless Steel	<div><div><div></div><div><div>Schubert Pty Ltd A/NZ 61 881 777 211 Phone: 1800 188 668 or call 1 800 1001 info@schubert.com</div></div></div><div><div><div>1x</div><div></div><div></div></div><div>ONLY EVER CONNECT 1 USER TO EACH SHUTTLE</div></div><div><table><thead><tr><th colspan="6">INSPECTION RECORD</th></tr></thead><tbody><tr><td>1</td><td>/</td><td>/</td><td>/</td><td>6</td><td>/</td></tr><tr><td>2</td><td>/</td><td>/</td><td>/</td><td>7</td><td>/</td></tr><tr><td>3</td><td>/</td><td>/</td><td>/</td><td>8</td><td>/</td></tr><tr><td>4</td><td>/</td><td>/</td><td>/</td><td>9</td><td>/</td></tr><tr><td></td><td>/</td><td>/</td><td>/</td><td>10</td><td>/</td></tr></tbody></table></div></div>	INSPECTION RECORD						1	/	/	/	6	/	2	/	/	/	7	/	3	/	/	/	8	/	4	/	/	/	9	/		/	/	/	10	/
INSPECTION RECORD																																							
1	/	/	/	6	/																																		
2	/	/	/	7	/																																		
3	/	/	/	8	/																																		
4	/	/	/	9	/																																		
	/	/	/	10	/																																		

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-397 Version: 9.0

Asia-Pacific/The Americas
info@safetylink.com

Europe/Africa/Middle East
europe.sales@safetylink.com

Northern Europe
uk.sales@safetylink.com