







Safety Centre

Training



HORIZONTAL LIFELINE

FrogLine BeamLink Lifeline



The FrogLine BeamLink system is designed to be mounted overhead on flanged beams like universal beams, columns and fabricated sections. The system is equipped with SafetyLink's engineered energy absorbing intermediate and end anchors to minimise loads on both the user and structure in the event of a fall. The continuous connection via the Overhead Shuttle System on the 8mm stainless steel cable provides protection for up to four (4) users per system, two (2) users per span. The intermediate anchor limits the lifeline span distances, the end anchor attachment points are designed for the cable to start and terminate at and the corner unit is designed for the cable to run through the corner anchor re-directing it by up to 90 degrees.

STANDARDS - The FrogLine has been tested and manufactured in accordance with AS/NZS 1891.2, ANSI Z359.6-2009, EN 795:2012, CEN/TS 16415:2013 and OSHA 1926.502.

BEAMLINKS SUPPLIED SEPARATELY, SEE PAGE 2 FOR PRODUCT CODE OF BEAMLINK LENGTH REQUIRED. **

PRODUCT COMPONENTS	DESCRIPTION	MATERIAL	QTY	WEIGHT	ANCHOR
END OVERHEAD – PRODUCT CODE: STAT.FROGSTE009+BEAM_FIXINGS				0.784	
FROGLINE END_OH	FrogLine End OVERHEAD	316SS	1	0.700	
ADAPTER M12-M16	M12 to M16 Thread Retrofit Adapter	316SS	1	0.009	
BOLT-M12x45mm	Bolt: M12x45mm	316SS	1	0.052	
WASHER M12_316	Washer: M12	316SS	1	0.003	
WASHER M12_Spring_316	Washer: M12 Spring	316SS	1	0.004	
NUT M12_316	Nut: M12	316SS	1	0.016	~
INTERMEDIATE OVERHEAD -	- PRODUCT CODE: STAT.FROGSTE004+BE	AM_FIXINGS		0.780	
FROGLINE INT_OH	FrogLine Intermediate OVERHEAD	316SS	1	0.696	
ADAPTER M12-M16	M12 to M16 Thread Retrofit Adapter	316SS	1	0.009	
BOLT-M12x45mm	Bolt: M12x45mm	316SS	1	0.052	
WASHER M12_316	Washer: M12	316SS	1	0.003	
WASHER M12_Spring_316	Washer: M12 Spring	316SS	1	0.004	4
NUT M12_316	Nut: M12	316SS	1	0.016	•
EXTERNAL CORNER – PRODU	JCT CODE: STAT.FROGSTE012+BEAM_FIX	INGS		0.962	
FROGLINE CNR_OH_EXT	FrogLine Overhead External Corner	316SS	1	0.878	
ADAPTER M12-M16	M12 to M16 Thread Retrofit Adapter	316SS	1	0.009	
BOLT-M12x45mm	Bolt: M12x45mm	316SS	1	0.052	
WASHER M12_316	Washer: M12	316SS	1	0.003	8113
WASHER M12_Spring_316	Washer: M12 Spring	316SS	1	0.004	
NUT M12_316	Nut: M12	316SS	1	0.016	
INTERNAL CORNER – PRODU	JCT CODE: STAT.FROGSTE013+BEAM_FIX	INGS		0.962	
FROGLINE CNR_OH_INT	FrogLine Overhead Internal Corner	316SS	1	0.878	
ADAPTER M12-M16	M12 to M16 Thread Retrofit Adapter	316SS	1	0.009	
BOLT-M12x45mm	Bolt: M12x45mm	316SS	1	0.052	
WASHER M12_316	Washer: M12	316SS	1	0.003	SIS
WASHER M12_Spring_316	Washer: M12 Spring	316SS	1	0.004	
NUT M12_316	Nut: M12	316SS	1	0.016	



© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-1329 Version: 3.0





www.safetylink.com





Safety Centre Training



The BeamLink is designed to be mounted overhead on flanged beams like universal beams, columns and fabricated sections. Select the length required to add to Lifeline components.



PRODUCT CODE: BEAMLINK001.160 – TO FIT 160mm FLANGE				5.736
Product Parts	Description	Material	Qty	Weight (kg)
NUT M24_GAL	Nut: M24	Galvanised	4	0.716
WASHER M24_GAL	Washer: M24	Galvanised	2	0.068
BEAMLINK001.01	BeamLink Clamp End	Galvanised	2	3.846
WASHER M12_SHOULDER_NYLON	Washer: M12 Shoulder	Nylon	4	0.008
ROD-per metre M24-GAL	Threaded Rod: M24	Galvanised	0.37	1.098



PRODUCT CODE: BEAMLINK001.210 – TO FIT 210mm FLANGE				5.884
Product Parts	Description	Material	Qty	Weight (kg)
NUT M24_GAL	Nut: M24	Galvanised	4	0.716
WASHER M24_GAL	Washer: M24	Galvanised	2	0.068
BEAMLINK001.01	BeamLink Clamp End	Galvanised	2	3.846
WASHER M12_SHOULDER_NYLON	Washer: M12 Shoulder	Nylon	4	0.008
ROD-per metre M24-GAL	Threaded Rod: M24	Galvanised	0.42	1.246



PRODUCT CODE: BEAMLINK001.285 – TO FIT 285mm FLANGE				6.122
Product Parts	Description	Material	Qty	Weight (kg)
NUT M24_GAL	Nut: M24	Galvanised	4	0.716
WASHER M24_GAL	Washer: M24	Galvanised	2	0.068
BEAMLINK001.01	BeamLink Clamp End	Galvanised	2	3.846
WASHER M12_SHOULDER_NYLON	Washer: M12 Shoulder	Nylon	4	0.008
ROD-per metre M24-GAL	Threaded Rod: M24	Galvanised	0.50	1.484



PRODUCT CODE: BEAMLINK001.385 – TO FIT 385mm FLANGE				6.418	
Product Parts	Description	Material	Qty	Weight (kg)	
NUT M24_GAL	Nut: M24	Galvanised	4	0.716	
WASHER M24_GAL	Washer: M24	Galvanised	2	0.068	
BEAMLINK001.01	BeamLink Clamp End	Galvanised	2	3.846	
WASHER M12_SHOULDER_NYLON	Washer: M12 Shoulder	Nylon	4	0.008	
ROD-per metre M24-GAL	Threaded Rod: M24	Galvanised	0.60	1.780	

All products must be installed in accordance with SafetyLink's installation handbook, using only products supplied by SafetyLink Pty Ltd.

© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on io@safetylink.com and quote the product code.

Doc ID: MKT-1329 Version: 3.0

Page 2 of 2

