



Premium Full Body Harness with Belt

This Premium Full Body Harness with Belt is suitable for use as part of a personal fall protection system providing various attachment points for a user to connect their fall protection connecting system. This product is only to be used by a competent person. Inspect this product before use as per the supplied instruction. This equipment shall be removed from service if it fails an inspection or is involved in a fall.

| Product Code | Description | Size |
|--------------|--|----------------------|
| WAUHAR35MGT | Premium Rigger Full Body Harness with Belt | Small, Medium, Large |
| WAUHAR35MXX | Premium Rigger Full Body Harness with Belt | XLarge, XXLarge |

Standard

△ Certified to AS/NZS1891.1:2020.

User Rating

△ Rated for users up to the single user limit of the connecting system (AS/NZS1891.5 Lanyard, AS/NZS1891.3 Fall Arrest Device).

Material Specification

▲ Webbing & Thread: Polyester.

▲ Buckles: Aluminium.

▲ Label: Vinyl.

Label Pack: Nylon.


Description

WAUHAR35M

- Two (2) fall arrest attachment points (back/front).
- Six (6) adjustment locations, including four (4) quick connect buckles and 2 torso adjusters.
- Comfort waist belt with thermocompressed backing for extra
- △ Work positioning side waist attachment points (pole strap use).
- One (1) total restraint attachment point (rear waist).
- Breathable comfort shoulder padding.

Loops

D-Ring



D-Rings

Always consult the instructions provided by the manufacturer of each component of your fall arrest system to accurately assess Fall Clearance.

D-Ring



www.safetylink.com



Training



© 2018, SafetyLink Pty Ltd, Australia.

Patents: SafetyLink Pty Ltd has a multitude of patents, patents pending, design applications, trademarks and copyrighted documents both lodged and issued. Should you wish to know the progress of our intellectual property on a specific product please email us on ip@safetylink.com and quote the product code.

Doc ID: MKT-7878 Version: 2.0

WEIGHT

Quick

Connect

kg)

2.00

Quick

Connect

Pull

Thru